

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 2625

Total
Cross Section

26-Fe-54
-4.948 To 10.02 %




26-Fe-54


MAT 2625

Elastic
Cross Section

26-Fe-54
-4.986 To 10.05 %




MAT 2625 Inelastic Cross Section 26-Fe-54 To 1.447 %



MAT 2625

MT= 51 (n,n') Level
Cross Section


26-Fe-54
0.000 To 1.447 %



MAT 2625

MT= 55 (n,n') Level
Cross Section

26-Fe-54
0.000 To 0.856 %



5


Incident Energy (eV)

26-Fe-54

MAT 2625

MT= 56 (n,n') Level
Cross Section


26-Fe-54
0.000 To 0.499 %



MAT 2625

MT= 57 (n,n') Level
Cross Section

26-Fe-54
0.000 To 0.369 %



7


Incident Energy (eV)

26-Fe-54

MAT 2625

MT= 64 (n,n') Level
Cross Section

26-Fe-54
0.000 To 0.104 %



8

Incident Energy (eV)

26-Fe-54


MAT 2625

(n, γ)

26-Fe-54

Cross Section


-10.20 To 0.653 %



MAT 2625

(n,p)
Cross Section

26-Fe-54
-0.156 To 7534. %




MAT 2625

(n, α)

²⁶Fe-54

Cross Section


-0.265 To 46.43 %



MAT 2625

(n, p') Ground
Cross Section


26-Fe-54
-0.478 To 5301. %



MAT 2625

MT=601 (n,p') Level
Cross Section


26-Fe-54
-0.484 To 3882. %



MAT 2625

MT=602 (n,p') Level
Cross Section

26-Fe-54
-0.414 To 1.698 %



14


Incident Energy (eV)

26-Fe-54

MAT 2625

MT=603 (n,p') Level
Cross Section

26-Fe-54
-0.305 To 19.54 %




15

26-Fe-54

MAT 2625

MT=604 (n,p') Level
Cross Section


26-Fe-54
-0.242 To 9999. %



MAT 2625

MT=605 (n,p') Level
Cross Section

26-Fe-54
-0.173 To 90.46 %




17

26-Fe-54


MAT 2625

MT=606 (n,p') Level
Cross Section

26-Fe-54
-0.217 To 1.229 %




MAT 2625 MT=607 (n,p') Level Cross Section -0.148 To 0.010 % 26-Fe-54



MAT 2625

MT=608 (n,p') Level
Cross Section


26-Fe-54
-0.146 To 0.010 %



MAT 2625

MT=609 (n,p') Level
Cross Section

26-Fe-54
-0.230 To 3.652 %



21


Incident Energy (eV)

26-Fe-54

MAT 2625

MT=610 (n,p') Level
Cross Section


26-Fe-54
-0.439 To 3.652 %



MAT 2625

MT=649 (n,p') Level
Cross Section

26-Fe-54
-0.211 To 0.010 %



23


Incident Energy (eV)

26-Fe-54

MAT 2625

(n, α') Ground
Cross Section


26-Fe-54
-0.271 To 46.43 %



MAT 2625

MT=801 (n,α') Level
Cross Section


26-Fe-54
-0.251 To 1181. %



MAT 2625

MT=802 (n,α') Level
Cross Section


26-Fe-54
-0.215 To 1221. %



MAT 2625

MT=803 (n, α') Level
Cross Section


26-Fe-54
-0.241 To 1071. %



MAT 2625

MT=804 (n, α') Level
Cross Section


26-Fe-54
-0.214 To 1174. %



MAT 2625

MT=805 (n,α') Level
Cross Section


26-Fe-54
-0.256 To 649.9 %



MAT 2625

MT=806 (n,α') Level
Cross Section


26-Fe-54
-0.269 To 1200. %



MAT 2625

MT=807 (n, α') Level
Cross Section


26-Fe-54
-0.258 To 1123. %



MAT 2625

MT=808 (n, α') Level
Cross Section


26-Fe-54
-0.331 To 620.8 %



MAT 2625

MT=809 (n, α') Level
Cross Section


26-Fe-54
-0.420 To 678.2 %



MAT 2625

MT=810 (n, α') Level
Cross Section


26-Fe-54
-0.448 To 1192. %



MAT 2625

MT=849 (n, α') Level
Cross Section

26-Fe-54
-0.466 To 18.55 %



35

Incident Energy (eV)

26-Fe-54