

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 2831

Total
Cross Section

28-Ni-60
-17.42 To 189.0 %




28-Ni-60

Incident Energy (eV)

MAT 2831

Elastic
Cross Section

28-Ni-60
-17.46 To 225.4 %



2


Incident Energy (eV)

28-Ni-60

MAT 2831

Inelastic
Cross Section

28-Ni-60
-13.50 To 18.61 %



3


Incident Energy (eV)

28-Ni-60

MAT 2831

MT= 51 (n,n') Level
Cross Section


28-Ni-60
-13.50 To 18.61 %



MAT 2831

MT= 52 (n,n') Level
Cross Section

28-Ni-60
-2.497 To 36.66 %




5

MAT 2831

MT= 53 (n,n') Level
Cross Section


28-Ni-60
-3.244 To 3.543 %



MAT 2831

MT= 54 (n,n') Level
Cross Section


28-Ni-60
-1.696 To 3.543 %



MAT 2831

MT= 55 (n,n') Level
Cross Section

28-Ni-60
-6.079 To 3.544 %



8


Incident Energy (MeV)

28-Ni-60

MAT 2831

MT= 56 (n,n') Level
Cross Section

28-Ni-60
0.000 To 1.667 %



9


Incident Energy (MeV)

28-Ni-60

MAT 2831

MT= 60 (n,n') Level
Cross Section


28-Ni-60
0.000 To 2.039 %



MAT 2831

(n, γ)
Cross Section

28-Ni-60
-34.57 To 0.795 %



11

Incident Energy (eV)

28-Ni-60