

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 4034

Total
Cross Section

40-Zr-93
-5.515 To 5.513 %




40-Zr-93

MAT 4034

Elastic
Cross Section


40-Zr-93
-5.537 To 5.839 %



MAT 4034

Inelastic
Cross Section


40-Zr-93
0.000 To 0.264 %



MAT 4034

MT= 51 (n,n') Level
Cross Section


40-Zr-93
0.000 To 0.264 %



MAT 4034

MT= 56 (n,n') Level
Cross Section


40-Zr-93
0.000 To 24.99 %



MAT 4034

MT= 65 (n,n') Level
Cross Section

40-Zr-93
0.000 To 25.00 %



6


Incident Energy (MeV)

40-Zr-93

MAT 4034

(n, γ)
Cross Section

40-Zr-93
-95.00 To 31.59 %



7

Incident Energy (eV)

40-Zr-93

MAT 4034

(n, α') Ground
Cross Section

40-Zr-93
-0.092 To 0.100 %

