

Program Complot  
(Version 2017-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 4237

Total  
Cross Section

42-Mo-96  
-4.094 To 155.6 %




Incident Energy (eV)

42-Mo-96

MAT 4237

Elastic  
Cross Section

42-Mo-96  
-3.624 To 137.2 %



2


Incident Energy (eV)

42-Mo-96

MAT 4237

Nonelastic  
Cross Section

42-Mo-96  
-24.38 To 949.6 %



3


Incident Energy (eV)

42-Mo-96

MAT 4237

Inelastic  
Cross Section

42-Mo-96  
0.000 To 0.178 %



4


Incident Energy (eV)

42-Mo-96

MAT 4237

MT= 51 (n,n') Level  
Cross Section

42-Mo-96  
0.000 To 0.178 %



5


Incident Energy (eV)

42-Mo-96

MAT 4237

MT= 70 (n,n') Level  
Cross Section


42-Mo-96  
0.000 To 4.166 %



MAT 4237

MT= 74 (n,n') Level  
Cross Section

42-Mo-96  
0.000 To 0.240 %



MAT 4237

(n,  $\gamma$ )  
Cross Section

42-Mo-96  
-24.38 To 949.6 %

