

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 7431

Total

Cross Section

74-W -182
-40.37 To 64.49 %




74-W -182

MAT 7431

Elastic
Cross Section

74-W -182
-40.40 To 66.47 %



2


Incident Energy (eV)

74-W -182

MAT 7431

MT= 55 (n,n') Level
Cross Section


74-W -182
0.000 To 1.816 %



MAT 7431

MT= 56 (n,n') Level
Cross Section


74-W -182
0.000 To 0.120 %



MAT 7431

MT= 57 (n,n') Level
Cross Section


74-W -182
0.000 To 0.161 %



MAT 7431

MT= 64 (n,n') Level
Cross Section


74-W -182
0.000 To 0.673 %



MAT 7431

MT= 65 (n,n') Level
Cross Section


74-W -182
0.000 To 0.130 %



MAT 7431

MT= 66 (n,n') Level
Cross Section


74-W -182
0.000 To 2.124 %



MAT 7431

MT= 67 (n,n') Level
Cross Section

74-W -182
0.000 To 0.252 %




MAT 7431

(n, γ)

74-W -182

Cross Section

-39.97 To 28.32 %



10

Incident Energy (eV)

74-W -182