

Program Complot  
(Version 2017-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.


Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [redcullen1.net/HOMEPAGE.NEW](http://redcullen1.net/HOMEPAGE.NEW)

Press Mouse Button to Start

MAT 7428

Total Cross Section  
74-W -181  
-10.01 To 22.91 %




74-W -181

Incident Energy (eV)

1

MAT 7428

Elastic Cross Section  
74-W -181  
-70.01 To 24.90 %



2


Incident Energy (eV)

74-W -181

MAT 7428

(n,2n) d  
Cross Section


74-W -181  
0.000 To 0.111 %



MAT 7428

$(n, n')$   $\alpha$   
Cross Section

74-W -181  
0.000 To 126.1 %




Incident Energy (eV)

74-W -181

MAT 7428

(n, 3n)  $\alpha$   
Cross Section


74-W -181  
0.000 To 0.274 %



MAT 7428

(n,  $\gamma$ )  
Cross Section

74-W -181  
-0.889 To 50.52 %




MAT 7428

(n,p)

Cross Section

74-W -181  
0.000 To 0.922 %



7


Incident Energy (eV)

74-W -181

MAT 7428

(n, t)  
Cross Section

74-W -181  
0.000 To 0.241 %



MAT 7428

(n,  $\alpha$ )  
Cross Section

74-W -181

-1.628 To 0.379 %

