

Program Complot
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 7449

Total

Cross Section

74-W -188

-52.44 To 506.9 %




Incident Energy (eV)

74-W -188

MAT 7449

Elastic
Cross Section

74-W -188
-50.02 To 506.3 %



2


Incident Energy (eV)

74-W -188

MAT 7449

(n,2n) d
Cross Section

74-W -188
0.000 To 0.111 %




74-W -188

Incident Energy (eV)

MAT 7449

(n, n') α
Cross Section

74-W -188
0.000 To 309.0 %



74-W -188


MAT 7449

(n, 4n)

74-W -188

Cross Section

0.000 To 0.587 %



5

Incident Energy (eV)

74-W -188


MAT 7449

(n, γ)

74-W -188

Cross Section

-90.15 To 515.2 %



6

Incident Energy (eV)


74-W -188

MAT 7449

(n, d)

74-W -188
0.000 To 0.702 %

Cross Section




MAT 7449

(n, α)

74-W -188

Cross Section

-0.692 To 587.2 %



8

Incident Energy (eV)

74-W -188